



Colorado Department of Public Health and Environment

OPERATING PERMIT

Waste Management of Colorado
Montrose County Landfill

FIRST ISSUED: April 1, 2005
RENEWED: February 1, 2012

AIR POLLUTION CONTROL DIVISION

COLORADO OPERATING PERMIT

FACILITY NAME:	Montrose County Landfill	OPERATING PERMIT NUMBER
FACILITY ID:	0850950	03OPMO258
RENEWED DATE:	February 1, 2012	
EXPIRATION DATE:	February 1, 2012	
MODIFICATIONS:	See Appendix F of Permit	

Issued in accordance with the provisions of Colorado Air Pollution Prevention and Control Act, 25-7-101 et seq. and applicable rules and regulations.

ISSUED TO:	PLANT SITE LOCATION:
Waste Management of Colorado 5500 South Quebec St, Suite 250 Greenwood Village, CO 80111	67999 Landfill Road Montrose, CO Montrose County

INFORMATION RELIED UPON

Operating Permit Renewal Application Received:	April 2, 2009
And Additional Information Received:	August 3, 2010

Nature of Business:	Municipal solid waste disposal
Primary SIC:	4953

RESPONSIBLE OFFICIAL

Name: Brad Polluck, P.E.
Title: Director of Post Collection - CO/UT MA
Phone: 303-486-6040

FACILITY CONTACT PERSON

Name: Jessica Walko
Title: Facility Engineer
Phone: 303-914-1427

SUBMITTAL DEADLINES

First Semi-Annual Monitoring Period:	February 1 – March 31
Semi-Annual Monitoring Period:	April 1 – September 30, October 1 – March 31
Semi-Annual Monitoring Report:	Due on May 1 & November 1, 2012 and subsequent years
First Annual Compliance Period:	February 1 – March 31
Annual Compliance Period:	April 1 – March 31
Annual Compliance Certification:	Due on May 1, 2012 and subsequent years

Note that the Semi-Annual Monitoring Reports and Annual Compliance Certifications must be received at the Division office by 5:00 p.m. on the due date. Postmarked dates will not be accepted for the purposes of determining the timely receipt of those reports/certifications.

TABLE OF CONTENTS:

SECTION I - General Activities and Summary.....	1
1. Permitted Activities	1
2. Alternative Operating Scenarios	2
3. Prevention Of Significant Deterioration (PSD).....	2
4. Accidental Release Prevention Program (112(r))	2
5. Compliance Assurance Monitoring (CAM)	2
6. Summary of Emission Units.....	2
SECTION II - Specific Permit Terms	3
1. F01 – Fugitive Particulate Matter Emissions	3
F02 – Landfill Gas Emissions	3
2. E013 – Emergency Diesel Generator, 28 HP	9
SECTION III - Permit Shield	13
1. Specific Non-Applicable Requirements	13
2. General Conditions	13
3. Streamlined Conditions	14
SECTION IV - General Permit Conditions ver 11/16/10.....	15
1. Administrative Changes	15
2. Certification Requirements.....	15
3. Common Provisions	15
4. Compliance Requirements	19
5. Emergency Provisions	20
6. Emission Controls for Asbestos	20
7. Emissions Trading, Marketable Permits, Economic Incentives	20
8. Fee Payment	20
9. Fugitive Particulate Emissions	21
10. Inspection and Entry	21
11. Minor Permit Modifications	21
12. New Source Review	21
13. No Property Rights Conveyed.....	21
14. Odor.....	21
15. Off-Permit Changes to the Source.....	22
16. Opacity	22
17. Open Burning	22
18. Ozone Depleting Compounds	22
19. Permit Expiration and Renewal.....	22
20. Portable Sources	22
21. Prompt Deviation Reporting	22
22. Record Keeping and Reporting Requirements	23
23. Reopenings for Cause.....	24
24. Section 502(b)(10) Changes	24
25. Severability Clause.....	25
26. Significant Permit Modifications	25
27. Special Provisions Concerning the Acid Rain Program.....	25
28. Transfer or Assignment of Ownership	25
29. Volatile Organic Compounds.....	25
30. Wood Stoves and Wood burning Appliances.....	26

TABLE OF CONTENTS:

APPENDIX A - Inspection Information	1
Directions to Plant:	1
Safety Equipment Required:	1
Facility Plot Plan:.....	1
List of Insignificant Activities:	1
APPENDIX C Required Format for Annual Compliance Certification Reports.....	1
APPENDIX D	1
Notification Addresses	1
APPENDIX E	1
Permit Acronyms	1
APPENDIX F	1
Permit Modifications	1

SECTION I - General Activities and Summary

1. Permitted Activities

- 1.1 The Montrose County Landfill is a municipal solid waste landfill and falls under the Standard Industrial Classification 4953. Landfill gas is generated from the decomposition of organic materials found in landfills. Landfill gas is primarily composed of methane and carbon dioxide. Volatile organic compounds (VOC) and hazardous air pollutants (HAP) are also present in landfill gas. These landfill gases escape from the landfill and are emitted into the air. Fugitive particulate emissions are generated from various activities at the landfill, including, excavation activities, soil cover handling and storage, and truck traffic on haul roads.

This facility is located at 67999 Landfill Road, Montrose, Montrose County. The area in which the plant operates is designated as attainment for all criteria pollutants.

There are no affected states within 50 miles of this facility. The following Federal Class I designated areas are within 100 kilometers of the facility: West Elk Wilderness, Black Canyon of the Gunnison National Park, Maroon Bells-Snowmass Wilderness, La Garita Wilderness, Weminuche Wilderness.

- 1.2 Until such time as this permit expires or is modified or revoked, the permittee is allowed to discharge air pollutants from this facility in accordance with the requirements, limitations, and conditions of this permit.
- 1.3 The Operating Permit incorporates the applicable requirements contained in the underlying construction permits, and does not affect those applicable requirements, except as modified during review of the application or as modified subsequent to permit issuance using the modification procedures found in Regulation No. 3, Part C. These Part C procedures meet all applicable substantive New Source Review requirements of Part B. Any revisions made using the provisions of Regulation No. 3, Part C shall become new applicable requirements for purposes of this Operating Permit and shall survive reissuance. This permit incorporates the applicable requirements (except as noted in Section II) from the following construction permit: **02MO0264.**
- 1.4 All conditions in this permit are enforceable by US Environmental Protection Agency, Colorado Air Pollution Control Division (hereinafter Division) and its agents, and citizens unless otherwise specified. **State-only enforceable conditions are:** Permit Condition Number(s): Section IV, Conditions 3.d, 3.g (last paragraph), 14 and 18 (as noted).
- 1.5 All information gathered pursuant to the requirements of this permit is subject to the Recordkeeping and Reporting requirements listed under Condition 22 of the General Conditions in Section IV of this permit. Either electronic or hard copy records are acceptable.

2. Alternative Operating Scenarios

2.1 The permittee shall be allowed to make the following changes to its method of operation without applying for a revision of this permit.

2.1.1 No separate operating scenarios have been specified.

3. Prevention Of Significant Deterioration (PSD)

3.1 Based on the information provided by the applicant, this source is categorized as a minor stationary source for PSD as of the issue date of this permit. Any future modification which is major by itself (Potential to Emit of > 250 TPY) for any pollutant listed in Regulation No. 3, Part D, Section II.A.42 for which the area is in attainment or attainment/maintenance may result in the application of the PSD review requirements.

4. Accidental Release Prevention Program (112(r))

4.1 Based upon the information provided by the applicant, the sources addressed in this permit are not subject to the provisions of the Accidental Release Prevention Program (section 112(r) of the Federal Clean Air Act).

5. Compliance Assurance Monitoring (CAM)

5.1 The following emission points at this facility use a control device to achieve compliance with an emission limitation or standard to which they are subject and have pre-control emissions that exceed or are equivalent to the major source threshold. They are therefore subject to the provisions of the CAM program as set forth in 40 CFR Part 64, as adopted by reference in Colorado Regulation No. 3, Part C, Section XIV:

None.

6. Summary of Emission Units

6.1 The emissions units regulated by this permit are the following:

Emission Unit Number	AIRS Stack Number	Unit ID	Description	Pollution Control Device
F01	001	FD-F01	Fugitive particulate matter emissions	Fugitive dust control plan
F02	001	LFG-F02	Landfill gas emissions	None
			Emergency Diesel Generator, 28 HP	None

SECTION II - Specific Permit Terms

1. F01 – Fugitive Particulate Matter Emissions F02 – Landfill Gas Emissions

Parameter	Permit Condition Number	Limitations	Emission Factor	Monitoring Method Interval	
VOC	1.1	16.62 tons/yr	EPA's Landfill Gas Emissions Model (Version 3.02 or most current)	Calculation	Annually
CO		2.03 tons/yr			
PM	1.2	68.61 tons/yr		Presumed given compliance with Conditions 1.3 and 1.8	
PM ₁₀		21.19 tons/yr			
Waste Acceptance	1.3	154,700 tons/yr		Recordkeeping 12 month rolling	Monthly
Design Capacity	1.4	8,069,850 BCY		See Condition 1.4	
NSPS Subpart WWW	1.5			See Condition 1.5	
Testing Protocol	1.6			See Condition 1.6	
NSPS Subpart A - General Provisions	1.7			See Condition 1.7	
Fugitive Emissions Control Plan	1.8			See Condition 1.8	

- 1.1 Emissions of Volatile Organic Compounds (VOCs) and Carbon Monoxide (CO) from the landfill shall not exceed the limit outlined in the table above. The landfill gas emissions shall be calculated annually using EPA's Landfill Gas Emissions Model (Version 3.02 or the most current version of the model). The calculation shall use a methane generation capacity, L_0 , of 100 m³/Mg, a methane generation rate, k , of 0.02/yr for arid areas and the site-specific non-methane organic compound (NMOC) concentration as determined in accordance with Condition 1.5.2. The VOC emissions shall be assumed as 39% of the total non-methane organic compound (NMOC) emission that is estimated by the model. (Construction Permit 02MO0264, as modified under the provisions of Section I, Condition 1.3.)

Nondegradable solid waste may be excluded when calculating VOC emissions if the documentation procedures of Condition 1.5.1.3 are followed.

- 1.2 Particulate Matter (PM and PM₁₀) emissions shall not exceed the limits that are outlined in the table above. In the absence of credible evidence to the contrary, compliance with the particulate matter emission limits is presumed provided the landfill is operated in accordance the requirements in Conditions 1.3 and 1.8. (Construction Permit 02MO0264, as modified under the provisions of Section I, Condition 1.3.)

- 1.3 Waste acceptance shall not exceed 154,700 tons per year (Construction Permit 02MO0264, as modified under the provisions of Section I, Condition 1.3). Actual waste acceptance shall be recorded monthly. A twelve-month rolling total will be maintained to monitor compliance with the annual limitation.
- 1.4 The reported design capacity of this landfill is 8,069,850 bulk cubic yards (BCY). The facility submitted an amended design capacity report to the Division in February 2002 as provided in §60.757(a). An amended design capacity report shall be submitted to the Division when there is any change in the design capacity of the landfill.
- 1.5 This facility is subject to the provisions in 40 CFR Part 60 Subpart WWW – Standard of Performance for Municipal Solid Waste Landfills, as adopted by reference in Colorado Regulation No. 6, Part A. These requirements include, but are not limited to, the following:
- 1.5.1 The NMOC emission rate shall be calculated using either the equation provided in Condition 1.5.1.1 or 1.5.1.2. Both equations may be used if the actual year-to-year solid waste acceptance rate is known for only part of the life of the landfill. The values to be used in the equations are as follows: (§60.754(a)(1))

k = methane generation rate [1/yr] (default = 0.02)

L_0 = methane generation potential [m^3/Mg] (default = 170)

C_{NMOC} = the site-specific NMOC concentration as determined according to the provisions of Condition 1.5.2 in parts per million by volume as hexane. (§60.754(a)(3)(i))

EPA's Landfill Gas Emission Model methodology utilizes these equations and therefore the model may be used in place of these equations to calculate NMOC emission rate.

- 1.5.1.1 The following equation shall be used if the actual year-to-year solid waste acceptance rate is known (§60.754(a)(1)(i)).

Where, M_{NMOC} = NMOC emission rate [Mg/yr]
 M_i = mass of solid waste in the i^{th} section [Mg/yr]
 t_i = age of i^{th} section [yr]

- 1.5.1.2 The following equation shall be used if the actual year-to-year solid waste acceptance rate is unknown (§60.754(a)(1)(ii)).

$$M_{NMOC} = 2 L_0 R (e^{-kc} - e^{-kt}) C_{NMOC} (3.6 \times 10^{-9})$$

Where, M_{NMOC} = NMOC emission rate [Mg/yr]
 R = average annual acceptance rate [Mg/yr]
 t = age of landfill [yr]
 c = time since closure [yr] (active landfill = 0)

- 1.5.1.3 For purposes of the emissions calculations described in Conditions 1.5.1.1 and 1.5.1.2, the mass of nondegradable solid waste may be subtracted from the total mass of solid waste accepted if adequate documentation of the nature and amount of such wastes is maintained. Adequate documentation shall include the waste characterization procedures and recordkeeping format used. Exclusion of nondegradeable waste from the emissions calculations is subject to Division review and approval, and records shall be provided for Division inspection upon request. (§60.754(a)(1)(i))

Note: As calculated using the Tier 1 default concentrations, NMOC emissions at this facility exceed 50 Mg/yr. The landfill conducted initial Tier 2 testing in May 2009 to determine the site-specific NMOC concentration and recalculated NMOC emissions as provided in §60.754(a)(2) and (3).

- 1.5.2 **Tier 2.** If the facility opts not to install a gas collection and control system, the facility shall conduct Tier 2 sampling to determine the site-specific NMOC concentration. The NMOC concentration shall be determined using the procedures provided in §60.754(a)(3), Method 25 or 25C of Appendix A of 40 CFR Part 60, Method 18 of Appendix A of 40 CFR Part 60, and Condition 1.6.
- 1.5.3 If the resulting NMOC mass emission rate is less than 50 megagrams per year, the facility shall submit a periodic estimate of the emission rate report as provided in Condition 1.5.6.1 and retest the site-specific NMOC concentration every 5 years using the methods specified in Condition 1.5.2. (§60.754(a)(3)(iii)). At the time of permit issuance, the most recent test report was submitted on July 16, 2009.
- 1.5.4 If the resulting NMOC mass emission rate calculated using the site-specific NMOC concentration is equal to or greater than 50 megagrams per year, then the facility shall either install a gas collection and control system in accordance with §60.752(b)(2), or determine the site-specific methane generation rate constant and recalculate the NMOC emission rate using the site-specific methane generation rate using the Tier 3 procedure specified in Condition 1.5.5. (§60.754(a)(3)(ii))
- 1.5.5 **Tier 3.** This facility has the option to conduct Tier 3 sampling to determine the site-specific methane generation rate constant. The methane generation rate constant shall be determined using the procedures provided in §60.754(a)(4), Method 2E of Appendix A of 40 CFR Part 60, and Condition 1.6. (§60.754(a)(4))
- 1.5.6 This facility shall submit an NMOC emission rate report to the Division annually or as described in §60.757(b)(1)(ii) and Condition 1.5.6.2. The Division may request such additional information as may be necessary to verify the reported NMOC emission rate. (§60.757(b))
- 1.5.6.1 The NMOC emission rate report shall contain an annual or 5-year estimate of the NMOC emission rate calculated using the formula and procedures

provided in this Condition 1.5. (§60.757(b)(1))

- 1.5.6.2 If the estimated NMOC emission rate as reported in the annual report is less than 50 megagrams per year in each of the next 5 consecutive years, the facility may elect to submit an estimate of the NMOC emission rate for the next 5-year period in lieu of the annual report. This estimate shall include the current amount of solid waste-in-place and the estimated waste acceptance rate for each year of the 5 years for which an NMOC emission rate is estimated. All data and calculations upon which this estimate is based shall be provided to the Division. This estimate shall be revised at least once every 5 years. If the actual waste acceptance rate exceeds the estimated waste acceptance rate in any year reported in the 5-year estimate, a revised 5-year estimate shall be submitted to the Division. The revised estimate shall cover the 5-year period beginning with the year in which the actual waste acceptance rate exceeded the estimated waste acceptance rate. (§60.757(b)(1)(ii))
- 1.5.6.3 The NMOC emission rate report shall include all the data and calculations used to estimate the annual or 5-year emissions. (§60.757(b)(2))
- 1.5.7 If requirements for installing a gas collection and control system are triggered, the facility shall submit a collection and control system design plan to the Division within 1 year of the first report required in which the emission rate equals or exceeds 50 megagrams per year, except as follows: (§60.757(c))
 - 1.5.7.1 If the facility elects to recalculate the NMOC emission rate after determining a site-specific methane generation rate constant (k), as provided in Tier 3 in Condition 1.5.5, and the resulting NMOC emission rate is less than 50 Mg/yr, annual periodic reporting shall be resumed. The resulting site-specific methane generation rate constant (k) shall be used in the emission rate calculation until such time as the emissions rate calculation results in an exceedance. The revised NMOC emission rate report based on the provisions of Condition 1.5.5 and the resulting site-specific methane generation rate constant (k) shall be submitted to the Division within 1 year of the first calculated emission rate exceeding 50 megagrams per year. (§60.757(c)(2))
- 1.5.8 The following up-to-date, readily accessible, on-site records shall be kept:
 - 1.5.8.1 The design capacity report which triggered the requirement in §60.752(b) to install a gas collection and control system;
 - 1.5.8.2 The current amount of solid waste in-place;
 - 1.5.8.3 The year-by-year waste acceptance rate.Off-site records may be maintained if they are retrievable within 4 hours. Either paper copy or electronic formats are acceptable. (§60.758(a) and (f))

- 1.5.9 If the landfill is permanently closed, a closure notification shall be submitted to the Division as provided for in §60.757(d). (§60.752(b)(1)(B))
 - 1.5.9.1 Upon notification of closure, the facility is no longer subject to the requirement to maintain an operating permit under 40 CFR Part 70 or 71. (§60.752(d))
 - 1.5.9.2 Upon notification of closure, the facility is no longer subject to the requirements to recalculate NMOC concentration annually if the NMOC emission rate is less than 50 mega grams per year. (§60.752(b)(1)(ii))
- 1.6 For all Tier 2 and Tier 3 tests conducted in accordance with Condition 1.5, a testing protocol shall be submitted for Division approval at least thirty (30) calendar days prior to any performance of the test. No test conducted in accordance with Condition 1.5.2 and 1.5.5 shall be performed should the Division disapprove of the protocol submitted. If the Division fails to respond to the submitted protocol, the facility may presume approval. The Division reserves the right to witness the test. In order to facilitate the Division's ability to make plans to witness the test, notice of the date (s) for the test shall be submitted to the Division at least thirty (30) calendar days prior to the test. The Division may for good cause shown, waive this thirty (30) day notice requirement. In instances when a scheduling conflict is presented, the Division shall immediately contact the permittee in order to explore the possibility of making modifications to the testing schedule. A complete test report that meets the requirements of the APCD Compliance Test Manual shall be submitted to the Division within 45 days of the conclusion of field sampling.
- 1.7 The following requirements of 40 CFR Part 60 Subpart A - General Provisions, as adopted by reference in Colorado Regulation Number 6, Part A, apply.
 - 1.7.1 At all times, including periods of start-up, shutdown, and malfunction, the facility and control equipment shall, to the extent practicable, be maintained and operated in a manner consistent with good air pollution control practices for minimizing emissions. Determination of whether or not acceptable operating and maintenance procedures are being used will be based on information available to the Division, which may include, but is not limited to, monitoring results, opacity observations, review of operating and maintenance procedures, and inspection of the source. (§60.11)
 - 1.7.2 No article, machine, equipment or process shall be used to conceal an emission which would otherwise constitute a violation of an applicable standard. Such concealment includes, but is not limited to, the use of gaseous diluents to achieve compliance with an opacity standard or with a standard which is based on the concentration of a pollutant in the gases discharged to the atmosphere. (§60.12)
 - 1.7.3 Records of startups, shutdowns, and malfunctions shall be maintained, as required under §60.7.

- 1.7.4 Written notification of opacity observation or monitor demonstrations shall be submitted to the Division as required under §60.7.
- 1.7.5 Performance tests shall be conducted as required under §60.8.
- 1.8 The following Particulate Emissions Control Plan, as set forth in Construction Permit 02MO264, shall be followed: (Colorado Regulation No. 1, Section III.D.1.a)
 - 1.8.1 Fugitive particulate emissions from land clearing, topsoil and overburden removal, and disturbed areas shall be controlled by watering as necessary.
 - 1.8.2 Active material stockpiles shall be watered as necessary to control fugitive particulate emissions.
 - 1.8.3 Inactive stockpile(s) and closed landfill areas shall be watered as necessary to control fugitive particulate emissions.
 - 1.8.4 Vehicle speed on unpaved roads and disturbed areas shall not exceed a maximum of 30 m.p.h. Speed limit signs shall be posted.
 - 1.8.5 Fugitive particulate emissions from haul roads shall be controlled by watering as needed.
 - 1.8.6 Six (6) inches of soil cover or an alternative daily cover (ADC) shall be applied to disposed solid waste at the end of each operating day, or at more frequent intervals if necessary, to control fugitive particulate emissions.
 - 1.8.7 The size of the working face shall be reduced to control fugitive dust emissions during windy days.

2. E013 – Emergency Diesel Generator, 28 HP

Parameter	Permit Condition Number	Limitation	Emission Factor	Monitoring	
				Method	Interval
MACT Subpart ZZZZ	2.1	Change Oil and Filter Inspect Air Cleaner Inspect Hoses and Belts		See Condition 2.1	
Opacity	2.2	Not to Exceed 20% Except as Provided for Below		EPA Method 9	As noted See Condition 2.2
		For Startup – Not to Exceed 30%, for a Period or Periods Aggregating More than Six (6) Minutes in any 60 Consecutive Minutes			
MACT Subpart A – General Provisions	2.3			See Condition 2.3	

Note that this emission unit is exempt from the APEN reporting requirements in Regulation No. 3, Part A and the construction permit requirements in Regulation No. 3, Part B.

- 2.1 **[Federal - Only]** This engine is subject to the requirements in 40 CFR Part 63 Subpart ZZZZ, “National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines”, as follows:

These requirements included in this Condition 2.1 are only federally enforceable. As of the date of revised permit issuance [February 1, 2012], the requirements in 40 CFR Part 63 Subpart ZZZZ, last updated on March 9, 2011, have not been adopted into Colorado Regulation No. 8, Part E by the Division and are therefore not state-enforceable. In the event that the Division adopts these requirements these engines will be subject to the APEN reporting and minor source permitting requirements and these requirements will be state-enforceable.

- 2.1.1 The facility must comply with the applicable requirements no later than May 3, 2013. (§63.6595(a)(1))

Operating and Maintenance Requirements

- 2.1.2 Operate and maintain the stationary RICE and after-treatment control device (if any) according to the manufacturer's emission-related written instructions or develop your own maintenance plan which must provide to the extent practicable for the maintenance and operation of the engine in a manner consistent with good air pollution control practice for minimizing emissions. (§63.6625(e))

- 2.1.3 The following operating and maintenance requirements apply to this emergency stationary compression ignition RICE located at an area source for HAPs: (40 CFR Part 63 Subpart ZZZZ Table 2d)

- 2.1.3.1 Change oil and filter every 500 hours of operation or annually, whichever comes first (Table 2d, item 4.a)

- 2.1.3.2 Inspect air cleaner every 1,000 hours of operation or annually, whichever comes first (Table 2d, item 4.b)
- 2.1.3.3 Inspect all hoses and belts every 500 hours of operation or annually, whichever comes first, and replace as necessary (Table 2d, item 4.c)
- 2.1.3.4 During periods of startup minimize the engine's time spent at idle and minimize the engine's startup time to a period needed for appropriate and safe loading of the engine, not to exceed 30 minutes. (Table 2d & §63.6625(h)).

Notwithstanding the above requirements, the following applies:

- 2.1.3.5 Sources have the option to utilize an oil analysis program as described in §63.6625(i) in order to extend the specified oil change requirement in Condition 2.1.3.1. (Table 2d, footnote 1)
 - a. The oil analysis must be performed at the same frequency specified for changing the oil in Condition 2.1.3.1. The analysis program must at a minimum analyze the following three parameters: Total Base Number, viscosity, and percent water content. The condemning limits for these parameters are as follows: Total Base Number is less than 30 percent of the Total Base Number of the oil when new; viscosity of the oil has changed by more than 20 percent from the viscosity of the oil when new; or percent water content (by volume) is greater than 0.5. If all of these condemning limits are not exceeded, the engine owner or operator is not required to change the oil. If any of the limits are exceeded, the engine owner or operator must change the oil before continuing to use the engine. The owner or operator must keep records of the parameters that are analyzed as part of the program, the results of the analysis, and the oil changes for the engine. The analysis program must be part of the maintenance plan for the engine. (§63.6625(i))
 - 2.1.3.6 If this engine is operating during an emergency and it is not possible to shut down the engine in order to perform the management practice requirements on the schedule required in Table 2d of Subpart ZZZZ, or if performing the management practice on the required schedule would otherwise pose an unacceptable risk under Federal, State, or local law, the management practice can be delayed until the emergency is over or the unacceptable risk under Federal, State, or local law has abated. The management practice should be performed as soon as practicable after the emergency has ended or the unacceptable risk under Federal, State, or local law has abated. Sources must report any failure to perform the management practice on the schedule required and the Federal, State or local law under which the risk was deemed unacceptable. (Table 2d, footnote 2)
- 2.1.4 Compliance with the emission limitations and operating limitations in this subpart must be achieved at all times. (§63.6605(a))

Hours of Operation

- 2.1.5 This engine must be equipped with a non-resettable hour meter if one is not already installed. (§63.6625(f))
- 2.1.6 Operation of the engine shall be in accordance with the following: (§63.6640(f))
- 2.1.6.1 Any operation other than emergency operation, maintenance and testing, and operation in non-emergency situations for 50 hours per year, as permitted in this section, is prohibited. (§63.6640(f)(1))
 - 2.1.6.2 There is no time limit on the use of emergency stationary RICE in emergency situations. (§63.6640(f)(2))
 - 2.1.6.3 This engine may be operated for the purpose of maintenance checks and readiness testing, provided that the tests are recommended by Federal, State or local government, the manufacturer, the vendor, or the insurance company associated with the engine. Maintenance checks and readiness testing of such units is limited to 100 hours per year. The owner or operator may petition the Administrator for approval of additional hours to be used for maintenance checks and readiness testing, but a petition is not required if the owner or operator maintains records indicating that Federal, State, or local standards require maintenance and testing of emergency RICE beyond 100 hours per year. (§63.6640(f)(3))
 - 2.1.6.4 The engine may be operated up to 50 hours per year in non-emergency situations, but those 50 hours are counted towards the 100 hours per year provided for maintenance and testing. The 50 hours per year for non-emergency situations cannot be used for peak shaving or to generate income for a facility to supply power to an electric grid or otherwise supply power as part of a financial arrangement with another entity; except that owners and operators may operate the emergency engine for a maximum of 15 hours per year as part of a demand response program if the regional transmission organization or equivalent balancing authority and transmission operator has determined there are emergency conditions that could lead to a potential electrical blackout, such as unusually low frequency, equipment overload, capacity or energy deficiency, or unacceptable voltage level. The engine may not be operated for more than 30 minutes prior to the time when the emergency condition is expected to occur, and the engine operation must be terminated immediately after the facility is notified that the emergency condition is no longer imminent. The 15 hours per year of demand response operation are counted as part of the 50 hours of operation per year provided for non-emergency situations. The supply of emergency power to another entity or entities pursuant to financial arrangement is not limited by this Condition 2.1.6.4, as long as the power provided by the financial arrangement is limited to emergency power. (§63.6640(f)(4))

Records

- 2.1.7 Records shall be kept of the hours of operation of the engine that is recorded through the non-resettable hour meter as required by Condition 2.1.5. Hours spent for emergency operations, including what classified the operation as emergency and hours spent for non-emergency operations must be documented. If the engines are used for demand response operation, records must be kept of the notification of the emergency situation, and the time the engine was operated as part of demand response. (§63.6655(f))
- 2.1.8 Records shall be kept of the maintenance conducted on the stationary RICE in order to demonstrate that the operation and maintenance of the stationary RICE and after-treatment control device was in accordance with the maintenance plan (§63.6655(e) and §63.6655(e)(3))
- 2.2 Visible emissions shall not exceed 20% opacity (Colorado Regulation No. 1, Section II.A.1) except during periods of startup for which visible emissions shall not exceed 30% opacity for a period or periods aggregating more than six (6) minutes in any sixty (60) consecutive minutes (Colorado Regulation No. 1, Section II.A.4).

Compliance with the opacity limitations shall be monitored by conducting EPA Reference Method 9 opacity observations annually for each year the engine is operated. If in a given calendar year the engine has not operated more than 30 consecutive minutes, then a Method 9 observation need not be conducted for that year.

The EPA Reference Method 9 opacity observations shall be performed by an observer with current and valid Method 9 certification. Results of Method 9 readings and a copy of the certified Method 9 reader's certificate shall be kept on site and made available to the Division upon request.

Subject to the provisions of C.R.S. 25-7-123.1 and in the absence of credible evidence to the contrary, exceedance of the limit shall be considered to exist from the time a Method 9 reading is taken that shows an exceedance of the opacity limit until a Method 9 reading is taken that shows the opacity is less than the opacity limit.

- 2.3 This engine is subject to the requirements in 40 CFR part 63 Subpart A "General Provisions", as adopted by reference in Colorado Regulation No. 8, Part E, Section I as specified in 40 CFR Part 63 Subpart ZZZZ §63.6665. These requirements include, but are not limited to the following:
- 2.3.1 Prohibited activities in §63.4(a).
- 2.3.2 Circumvention in §63.4(b)

SECTION III - Permit Shield

Regulation No. 3, 5 CCR 1001-5, Part C, §§ I.A.4, V.D. & XIII.B; § 25-7-114.4(3)(a), C.R.S.

1. Specific Non-Applicable Requirements

Based on the information available to the Division and supplied by the applicant, the following parameters and requirements have been specifically identified as non-applicable to the facility to which this permit has been issued. This shield does not protect the source from any violations that occurred prior to or at the time of permit issuance. In addition, this shield does not protect the source from any violations that occur as a result of any modifications or reconstruction on which construction commenced prior to permit issuance.

No requirements have been specifically identified as non-applicable for this facility.

2. General Conditions

Compliance with this Operating Permit shall be deemed compliance with all applicable requirements specifically identified in the permit and other requirements specifically identified in the permit as not applicable to the source. This permit shield shall not alter or affect the following:

- 2.1 The provisions of §§25-7-112 and 25-7-113, C.R.S., or §303 of the federal act, concerning enforcement in cases of emergency;
- 2.2 The liability of an owner or operator of a source for any violation of applicable requirements prior to or at the time of permit issuance;
- 2.3 The applicable requirements of the federal Acid Rain Program, consistent with §408(a) of the federal act;
- 2.4 The ability of the Air Pollution Control Division to obtain information from a source pursuant to §25-7-111(2)(I), C.R.S., or the ability of the Administrator to obtain information pursuant to §114 of the federal act;
- 2.5 The ability of the Air Pollution Control Division to reopen the Operating Permit for cause pursuant to Regulation No. 3, Part C, §XIII.
- 2.6 Sources are not shielded from terms and conditions that become applicable to the source subsequent to permit issuance.

3. Streamlined Conditions

The following applicable requirements have been subsumed within this operating permit using the pertinent streamlining procedures approved by the U.S. EPA. For purposes of the permit shield, compliance with the listed permit conditions will also serve as a compliance demonstration for purposes of the associated subsumed requirements.

No conditions have been streamlined.

SECTION IV - General Permit Conditions ver 11/16/10

1. Administrative Changes

Regulation No. 3, 5 CCR 1001-5, Part A, § III.

The permittee shall submit an application for an administrative permit amendment to the Division for those permit changes that are described in Regulation No. 3, Part A, § I.B.1. The permittee may immediately make the change upon submission of the application to the Division.

2. Certification Requirements

Regulation No. 3, 5 CCR 1001-5, Part C, §§ III.B.9., V.C.16.a.& e. and V.C.17.

- a. Any application, report, document and compliance certification submitted to the Air Pollution Control Division pursuant to Regulation No. 3 or the Operating Permit shall contain a certification by a responsible official of the truth, accuracy and completeness of such form, report or certification stating that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate and complete.
- b. All compliance certifications for terms and conditions in the Operating Permit shall be submitted to the Air Pollution Control Division at least annually unless a more frequent period is specified in the applicable requirement or by the Division in the Operating Permit.
- c. Compliance certifications shall contain:
 - (i) the identification of each permit term and condition that is the basis of the certification;
 - (ii) the compliance status of the source;
 - (iii) whether compliance was continuous or intermittent;
 - (iv) method(s) used for determining the compliance status of the source, currently and over the reporting period; and
 - (v) such other facts as the Air Pollution Control Division may require to determine the compliance status of the source.
- d. All compliance certifications shall be submitted to the Air Pollution Control Division and to the Environmental Protection Agency at the addresses listed in Appendix D of this Permit.
- e. If the permittee is required to develop and register a risk management plan pursuant to § 112(r) of the federal act, the permittee shall certify its compliance with that requirement; the Operating Permit shall not incorporate the contents of the risk management plan as a permit term or condition.

3. Common Provisions

Common Provisions Regulation, 5 CCR 1001-2 §§ II.A., II.B., II.C., II.E., II.F., II.I, and II.J

- a. To Control Emissions Leaving Colorado

When emissions generated from sources in Colorado cross the State boundary line, such emissions shall not cause the air quality standards of the receiving State to be exceeded, provided reciprocal action is taken by the receiving State.

b. Emission Monitoring Requirements

The Division may require owners or operators of stationary air pollution sources to install, maintain, and use instrumentation to monitor and record emission data as a basis for periodic reports to the Division.

c. Performance Testing

The owner or operator of any air pollution source shall, upon request of the Division, conduct performance test(s) and furnish the Division a written report of the results of such test(s) in order to determine compliance with applicable emission control regulations.

Performance test(s) shall be conducted and the data reduced in accordance with the applicable reference test methods unless the Division:

- (i) specifies or approves, in specific cases, the use of a test method with minor changes in methodology;
- (ii) approves the use of an equivalent method;
- (iii) approves the use of an alternative method the results of which the Division has determined to be adequate for indicating where a specific source is in compliance; or
- (iv) waives the requirement for performance test(s) because the owner or operator of a source has demonstrated by other means to the Division's satisfaction that the affected facility is in compliance with the standard. Nothing in this paragraph shall be construed to abrogate the Commission's or Division's authority to require testing under the Colorado Revised Statutes, Title 25, Article 7, and pursuant to regulations promulgated by the Commission.

Compliance test(s) shall be conducted under such conditions as the Division shall specify to the plant operator based on representative performance of the affected facility. The owner or operator shall make available to the Division such records as may be necessary to determine the conditions of the performance test(s). Operations during period of startup, shutdown, and malfunction shall not constitute representative conditions of performance test(s) unless otherwise specified in the applicable standard.

The owner or operator of an affected facility shall provide the Division thirty days prior notice of the performance test to afford the Division the opportunity to have an observer present. The Division may waive the thirty day notice requirement provided that arrangements satisfactory to the Division are made for earlier testing.

The owner or operator of an affected facility shall provide, or cause to be provided, performance testing facilities as follows:

- (i) Sampling ports adequate for test methods applicable to such facility;
- (ii) Safe sampling platform(s);
- (iii) Safe access to sampling platform(s); and
- (iv) Utilities for sampling and testing equipment.

Each performance test shall consist of at least three separate runs using the applicable test method. Each run shall be conducted for the time and under the conditions specified in the applicable standard. For the purpose of determining compliance with an applicable standard, the arithmetic mean of results of at least three runs shall apply. In the event that a sample is accidentally lost or conditions occur in which one of the runs must be discontinued because of forced shutdown, failure of an irreplaceable portion of the sample train, extreme meteorological conditions, or other circumstances beyond the owner or operator's control, compliance may, upon the Division's approval, be determined using the arithmetic mean of the results of the two other runs.

Nothing in this section shall abrogate the Division's authority to conduct its own performance test(s) if so warranted.

d. Affirmative Defense Provision for Excess Emissions during Malfunctions

Note that until such time as the U.S. EPA approves this provision into the Colorado State Implementation Plan (SIP), it shall be enforceable only by the State.

An affirmative defense to a claim of violation under these regulations is provided to owners and operators for civil penalty actions for excess emissions during periods of malfunction. To establish the affirmative defense and to be relieved of a civil penalty in any action to enforce an applicable requirement, the owner or operator of the facility must meet the notification requirements below in a timely manner and prove by a preponderance of evidence that:

- (i) The excess emissions were caused by a sudden, unavoidable breakdown of equipment, or a sudden, unavoidable failure of a process to operate in the normal or usual manner, beyond the reasonable control of the owner or operator;
- (ii) The excess emissions did not stem from any activity or event that could have reasonably been foreseen and avoided, or planned for, and could not have been avoided by better operation and maintenance practices;
- (iii) Repairs were made as expeditiously as possible when the applicable emission limitations were being exceeded;
- (iv) The amount and duration of the excess emissions (including any bypass) were minimized to the maximum extent practicable during periods of such emissions;
- (v) All reasonably possible steps were taken to minimize the impact of the excess emissions on ambient air quality;
- (vi) All emissions monitoring systems were kept in operation (if at all possible);
- (vii) The owner or operator's actions during the period of excess emissions were documented by properly signed, contemporaneous operating logs or other relevant evidence;
- (viii) The excess emissions were not part of a recurring pattern indicative of inadequate design, operation, or maintenance;
- (ix) At all times, the facility was operated in a manner consistent with good practices for minimizing emissions. This section is intended solely to be a factor in determining whether an affirmative defense is available to an owner or operator, and shall not constitute an additional applicable requirement; and
- (x) During the period of excess emissions, there were no exceedances of the relevant ambient air quality standards established in the Commissions' Regulations that could be attributed to the emitting source.

The owner or operator of the facility experiencing excess emissions during a malfunction shall notify the division verbally as soon as possible, but no later than noon of the Division's next working day, and shall submit written notification following the initial occurrence of the excess emissions by the end of the source's next reporting period. The notification shall address the criteria set forth above.

The Affirmative Defense Provision contained in this section shall not be available to claims for injunctive relief.

The Affirmative Defense Provision does not apply to failures to meet federally promulgated performance standards or emission limits, including, but not limited to, new source performance standards and national emission standards for hazardous air pollutants. The affirmative defense provision does not apply to state implementation plan (sip) limits or permit limits that have been set taking into account potential emissions during malfunctions, including, but not necessarily limited to, certain limits with 30-day or longer averaging times, limits that indicate they apply during malfunctions, and limits that indicate they apply at all times or without exception.

e. Circumvention Clause

A person shall not build, erect, install, or use any article, machine, equipment, condition, or any contrivance, the use of which, without resulting in a reduction in the total release of air pollutants to the atmosphere, reduces or conceals an emission which would otherwise constitute a violation of this regulation. No person shall circumvent this regulation by using more openings than is considered normal practice by the industry or activity in question.

f. Compliance Certifications

For the purpose of submitting compliance certifications or establishing whether or not a person has violated or is in violation of any standard in the Colorado State Implementation Plan, nothing in the Colorado State Implementation Plan shall preclude the use, including the exclusive use, of any credible evidence or information, relevant to whether a source would have been in compliance with applicable requirements if the appropriate performance or compliance test or procedure had been performed. Evidence that has the effect of making any relevant standard or permit term more stringent shall not be credible for proving a violation of the standard or permit term.

When compliance or non-compliance is demonstrated by a test or procedure provided by permit or other applicable requirement, the owner or operator shall be presumed to be in compliance or non-compliance unless other relevant credible evidence overcomes that presumption.

g. Affirmative Defense Provision for Excess Emissions During Startup and Shutdown

An affirmative defense is provided to owners and operators for civil penalty actions for excess emissions during periods of startup and shutdown. To establish the affirmative defense and to be relieved of a civil penalty in any action to enforce an applicable requirement, the owner or operator of the facility must meet the notification requirements below in a timely manner and prove by a preponderance of the evidence that:

- (i) The periods of excess emissions that occurred during startup and shutdown were short and infrequent and could not have been prevented through careful planning and design;
- (ii) The excess emissions were not part of a recurring pattern indicative of inadequate design, operation or maintenance;
- (iii) If the excess emissions were caused by a bypass (an intentional diversion of control equipment), then the bypass was unavoidable to prevent loss of life, personal injury, or severe property damage;
- (iv) The frequency and duration of operation in startup and shutdown periods were minimized to the maximum extent practicable;
- (v) All possible steps were taken to minimize the impact of excess emissions on ambient air quality;
- (vi) All emissions monitoring systems were kept in operation (if at all possible);
- (vii) The owner or operator's actions during the period of excess emissions were documented by properly signed, contemporaneous operating logs or other relevant evidence; and,
- (viii) At all times, the facility was operated in a manner consistent with good practices for minimizing emissions. This subparagraph is intended solely to be a factor in determining whether an affirmative defense is available to an owner or operator, and shall not constitute an additional applicable requirement.

The owner or operator of the facility experiencing excess emissions during startup and shutdown shall notify the Division verbally as soon as possible, but no later than two (2) hours after the start of the next working day, and shall submit written quarterly notification following the initial occurrence of the excess emissions. The notification shall address the criteria set forth above.

The Affirmative Defense Provision contained in this section shall not be available to claims for injunctive relief.

The Affirmative Defense Provision does not apply to State Implementation Plan provisions or other requirements that derive from new source performance standards or national emissions standards for hazardous air pollutants, or any other federally enforceable performance standard or emission limit with an averaging time greater than twenty-four hours. In addition, an affirmative defense cannot be used by a single source or small group of sources where the excess emissions have the potential to cause an exceedance of the ambient air quality standards or Prevention of Significant Deterioration (PSD) increments.

In making any determination whether a source established an affirmative defense, the Division shall consider the information within the notification required above and any other information the Division deems necessary, which may include, but is not limited to, physical inspection of the facility and review of documentation pertaining to the maintenance and operation of process and air pollution control equipment.

4. Compliance Requirements

Regulation No. 3, 5 CCR 1001-5, Part C, §§ III.C.9., V.C.11. & 16.d. and § 25-7-122.1(2), C.R.S.

- a. The permittee must comply with all conditions of the Operating Permit. Any permit noncompliance relating to federally-enforceable terms or conditions constitutes a violation of the federal act, as well as the state act and Regulation No. 3. Any permit noncompliance relating to state-only terms or conditions constitutes a violation of the state act and Regulation No. 3, shall be enforceable pursuant to state law, and shall not be enforceable by citizens under § 304 of the federal act. Any such violation of the federal act, the state act or regulations implementing either statute is grounds for enforcement action, for permit termination, revocation and reissuance or modification or for denial of a permit renewal application.
- b. It shall not be a defense for a permittee in an enforcement action or a consideration in favor of a permittee in a permit termination, revocation or modification action or action denying a permit renewal application that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit.
- c. The permit may be modified, revoked, reopened, and reissued, or terminated for cause. The filing of any request by the permittee for a permit modification, revocation and reissuance, or termination, or any notification of planned changes or anticipated noncompliance does not stay any permit condition, except as provided in §§ X. and XI. of Regulation No. 3, Part C.
- d. The permittee shall furnish to the Air Pollution Control Division, within a reasonable time as specified by the Division, any information that the Division may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the Division copies of records required to be kept by the permittee, including information claimed to be confidential. Any information subject to a claim of confidentiality shall be specifically identified and submitted separately from information not subject to the claim.
- e. Any schedule for compliance for applicable requirements with which the source is not in compliance at the time of permit issuance shall be supplemental, and shall not sanction noncompliance with, the applicable requirements on which it is based.
- f. For any compliance schedule for applicable requirements with which the source is not in compliance at the time of permit issuance, the permittee shall submit, at least every 6 months unless a more frequent period is specified in the applicable requirement or by the Air Pollution Control Division, progress reports which contain the following:
 - (i) dates for achieving the activities, milestones, or compliance required in the schedule for compliance, and dates when such activities, milestones, or compliance were achieved; and
 - (ii) an explanation of why any dates in the schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

- g. The permittee shall not knowingly falsify, tamper with, or render inaccurate any monitoring device or method required to be maintained or followed under the terms and conditions of the Operating Permit.

5. Emergency Provisions

Regulation No. 3, 5 CCR 1001-5, Part C, § VII.E

An emergency means any situation arising from sudden and reasonably unforeseeable events beyond the control of the source, including acts of God, which situation requires immediate corrective action to restore normal operation, and that causes the source to exceed the technology-based emission limitation under the permit due to unavoidable increases in emissions attributable to the emergency. "Emergency" does not include noncompliance to the extent caused by improperly designed equipment, lack of preventative maintenance, careless or improper operation, or operator error. An emergency constitutes an affirmative defense to an enforcement action brought for noncompliance with a technology-based emission limitation if the permittee demonstrates, through properly signed, contemporaneous operating logs, or other relevant evidence that:

- a. an emergency occurred and that the permittee can identify the cause(s) of the emergency;
- b. the permitted facility was at the time being properly operated;
- c. during the period of the emergency the permittee took all reasonable steps to minimize levels of emissions that exceeded the emission standards, or other requirements in the permit; and
- d. the permittee submitted oral notice of the emergency to the Air Pollution Control Division no later than noon of the next working day following the emergency, and followed by written notice within one month of the time when emissions limitations were exceeded due to the emergency. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken.

This emergency provision is in addition to any emergency or malfunction provision contained in any applicable requirement.

6. Emission Controls for Asbestos

Regulation No. 8, 5 CCR 1001-10, Part B

The permittee shall not conduct any asbestos abatement activities except in accordance with the provisions of Regulation No. 8, Part B, "asbestos control."

7. Emissions Trading, Marketable Permits, Economic Incentives

Regulation No. 3, 5 CCR 1001-5, Part C, § V.C.13.

No permit revision shall be required under any approved economic incentives, marketable permits, emissions trading and other similar programs or processes for changes that are specifically provided for in the permit.

8. Fee Payment

C.R.S §§ 25-7-114.1(6) and 25-7-114.7

- a. The permittee shall pay an annual emissions fee in accordance with the provisions of C.R.S. § 25-7-114.7. A 1% per month late payment fee shall be assessed against any invoice amounts not paid in full on the 91st day after the date of invoice, unless a permittee has filed a timely protest to the invoice amount.
- b. The permittee shall pay a permit processing fee in accordance with the provisions of C.R.S. § 25-7-114.7. If the Division estimates that processing of the permit will take more than 30 hours, it will notify the permittee of its estimate of what the actual charges may be prior to commencing any work exceeding the 30 hour limit.

- c. The permittee shall pay an APEN fee in accordance with the provisions of C.R.S. § 25-7-114.1(6) for each APEN or revised APEN filed.

9. Fugitive Particulate Emissions

Regulation No. 1, 5 CCR 1001-3, § III.D.1.

The permittee shall employ such control measures and operating procedures as are necessary to minimize fugitive particulate emissions into the atmosphere, in accordance with the provisions of Regulation No. 1, § III.D.1.

10. Inspection and Entry

Regulation No. 3, 5 CCR 1001-5, Part C, § V.C.16.b.

Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Air Pollution Control Division, or any authorized representative, to perform the following:

- a. enter upon the permittee's premises where an Operating Permit source is located, or emissions-related activity is conducted, or where records must be kept under the terms of the permit;
- b. have access to, and copy, at reasonable times, any records that must be kept under the conditions of the permit;
- c. inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under the Operating Permit;
- d. sample or monitor at reasonable times, for the purposes of assuring compliance with the Operating Permit or applicable requirements, any substances or parameters.

11. Minor Permit Modifications

Regulation No. 3, 5 CCR 1001-5, Part C, §§ X. & XI.

The permittee shall submit an application for a minor permit modification before making the change requested in the application. The permit shield shall not extend to minor permit modifications.

12. New Source Review

Regulation No. 3, 5 CCR 1001-5, Part B

The permittee shall not commence construction or modification of a source required to be reviewed under the New Source Review provisions of Regulation No. 3, Part B, without first receiving a construction permit.

13. No Property Rights Conveyed

Regulation No. 3, 5 CCR 1001-5, Part C, § V.C.11.d.

This permit does not convey any property rights of any sort, or any exclusive privilege.

14. Odor

Regulation No. 2, 5 CCR 1001-4, Part A

As a matter of state law only, the permittee shall comply with the provisions of Regulation No. 2 concerning odorous emissions.

15. Off-Permit Changes to the Source

Regulation No. 3, 5 CCR 1001-5, Part C, § XII.B.

The permittee shall record any off-permit change to the source that causes the emissions of a regulated pollutant subject to an applicable requirement, but not otherwise regulated under the permit, and the emissions resulting from the change, including any other data necessary to show compliance with applicable ambient air quality standards. The permittee shall provide contemporaneous notification to the Air Pollution Control Division and to the Environmental Protection Agency at the addresses listed in Appendix D of this Permit. The permit shield shall not apply to any off-permit change.

16. Opacity

Regulation No. 1, 5 CCR 1001-3, §§ I., II.

The permittee shall comply with the opacity emissions limitation set forth in Regulation No. 1, §§ I.- II.

17. Open Burning

Regulation No. 9, 5 CCR 1001-11

The permittee shall obtain a permit from the Division for any regulated open burning activities in accordance with provisions of Regulation No. 9.

18. Ozone Depleting Compounds

Regulation No. 15, 5 CCR 1001-17

The permittee shall comply with the provisions of Regulation No. 15 concerning emissions of ozone depleting compounds. Sections I., II.C., II.D., III. IV., and V. of Regulation No. 15 shall be enforced as a matter of state law only.

19. Permit Expiration and Renewal

Regulation No. 3, 5 CCR 1001-5, Part C, §§ III.B.6., IV.C., V.C.2.

- a. The permit term shall be five (5) years. The permit shall expire at the end of its term. Permit expiration terminates the permittee's right to operate unless a timely and complete renewal application is submitted.
- b. Applications for renewal shall be submitted at least twelve months, but not more than 18 months, prior to the expiration of the Operating Permit. An application for permit renewal may address only those portions of the permit that require revision, supplementing, or deletion, incorporating the remaining permit terms by reference from the previous permit. A copy of any materials incorporated by reference must be included with the application.

20. Portable Sources

Regulation No. 3, 5 CCR 1001-5, Part C, § II.D.

Portable Source permittees shall notify the Air Pollution Control Division at least 10 days in advance of each change in location.

21. Prompt Deviation Reporting

Regulation No. 3, 5 CCR 1001-5, Part C, § V.C.7.b.

The permittee shall promptly report any deviation from permit requirements, including those attributable to malfunction conditions as defined in the permit, the probable cause of such deviations, and any corrective actions or preventive measures taken.

"Prompt" is defined as follows:

- a. Any definition of "prompt" or a specific timeframe for reporting deviations provided in an underlying applicable requirement as identified in this permit; or
- b. Where the underlying applicable requirement fails to address the time frame for reporting deviations, reports of deviations will be submitted based on the following schedule:
 - (i) For emissions of a hazardous air pollutant or a toxic air pollutant (as identified in the applicable regulation) that continue for more than an hour in excess of permit requirements, the report shall be made within 24 hours of the occurrence;
 - (ii) For emissions of any regulated air pollutant, excluding a hazardous air pollutant or a toxic air pollutant that continue for more than two hours in excess of permit requirements, the report shall be made within 48 hours; and
 - (iii) For all other deviations from permit requirements, the report shall be submitted every six (6) months, except as otherwise specified by the Division in the permit in accordance with paragraph 22.d. below.
- c. If any of the conditions in paragraphs b.i or b.ii above are met, the source shall notify the Division by telephone (303-692-3155) or facsimile (303-782-0278) based on the timetables listed above. *[Explanatory note: Notification by telephone or facsimile must specify that this notification is a deviation report for an Operating Permit.]* A written notice, certified consistent with General Condition 2.a. above (Certification Requirements), shall be submitted within 10 working days of the occurrence. All deviations reported under this section shall also be identified in the 6-month report required above.

"Prompt reporting" does not constitute an exception to the requirements of "Emergency Provisions" for the purpose of avoiding enforcement actions.

22. Record Keeping and Reporting Requirements

Regulation No. 3, 5 CCR 1001-5, Part A, § II.; Part C, §§ V.C.6., V.C.7.

- a. Unless otherwise provided in the source specific conditions of this Operating Permit, the permittee shall maintain compliance monitoring records that include the following information:
 - (i) date, place as defined in the Operating Permit, and time of sampling or measurements;
 - (ii) date(s) on which analyses were performed;
 - (iii) the company or entity that performed the analysis;
 - (iv) the analytical techniques or methods used;
 - (v) the results of such analysis; and
 - (vi) the operating conditions at the time of sampling or measurement.
- b. The permittee shall retain records of all required monitoring data and support information for a period of at least five (5) years from the date of the monitoring sample, measurement, report or application. Support information, for this purpose, includes all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by the Operating Permit. With prior approval of the Air Pollution Control Division, the permittee may maintain any of the above records in a computerized form.
- c. Permittees must retain records of all required monitoring data and support information for the most recent twelve (12) month period, as well as compliance certifications for the past five (5) years on-site at all times. A permittee shall make available for the Air Pollution Control Division's review all other records of required monitoring data and support information required to be retained by the permittee upon 48 hours advance notice by the Division.

- d. The permittee shall submit to the Air Pollution Control Division all reports of any required monitoring at least every six (6) months, unless an applicable requirement, the compliance assurance monitoring rule, or the Division requires submission on a more frequent basis. All instances of deviations from any permit requirements must be clearly identified in such reports.
- e. The permittee shall file an Air Pollutant Emissions Notice ("APEN") prior to constructing, modifying, or altering any facility, process, activity which constitutes a stationary source from which air pollutants are or are to be emitted, unless such source is exempt from the APEN filing requirements of Regulation No. 3, Part A, § II.D. A revised APEN shall be filed annually whenever a significant change in emissions, as defined in Regulation No. 3, Part A, § II.C.2., occurs; whenever there is a change in owner or operator of any facility, process, or activity; whenever new control equipment is installed; whenever a different type of control equipment replaces an existing type of control equipment; whenever a permit limitation must be modified; or before the APEN expires. An APEN is valid for a period of five years. The five-year period recommences when a revised APEN is received by the Air Pollution Control Division. Revised APENs shall be submitted no later than 30 days before the five-year term expires. Permittees submitting revised APENs to inform the Division of a change in actual emission rates must do so by April 30 of the following year. Where a permit revision is required, the revised APEN must be filed along with a request for permit revision. APENs for changes in control equipment must be submitted before the change occurs. Annual fees are based on the most recent APEN on file with the Division.

23. Reopenings for Cause

Regulation No. 3, 5 CCR 1001-5, Part C, § XIII.

- a. The Air Pollution Control Division shall reopen, revise, and reissue Operating Permits; permit reopenings and reissuance shall be processed using the procedures set forth in Regulation No. 3, Part C, § III., except that proceedings to reopen and reissue permits affect only those parts of the permit for which cause to reopen exists.
- b. The Division shall reopen a permit whenever additional applicable requirements become applicable to a major source with a remaining permit term of three or more years, unless the effective date of the requirements is later than the date on which the permit expires, or unless a general permit is obtained to address the new requirements; whenever additional requirements (including excess emissions requirements) become applicable to an affected source under the acid rain program; whenever the Division determines the permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of the permit; or whenever the Division determines that the permit must be revised or revoked to assure compliance with an applicable requirement.
- c. The Division shall provide 30 days' advance notice to the permittee of its intent to reopen the permit, except that a shorter notice may be provided in the case of an emergency.
- d. The permit shield shall extend to those parts of the permit that have been changed pursuant to the reopening and reissuance procedure.

24. Section 502(b)(10) Changes

Regulation No. 3, 5 CCR 1001-5, Part C, § XII.A.

The permittee shall provide a minimum 7-day advance notification to the Air Pollution Control Division and to the Environmental Protection Agency at the addresses listed in Appendix D of this Permit. The permittee shall attach a copy of each such notice given to its Operating Permit.

25. Severability Clause

Regulation No. 3, 5 CCR 1001-5, Part C, § V.C.10.

In the event of a challenge to any portion of the permit, all emissions limits, specific and general conditions, monitoring, record keeping and reporting requirements of the permit, except those being challenged, remain valid and enforceable.

26. Significant Permit Modifications

Regulation No. 3, 5 CCR 1001-5, Part C, § III.B.2.

The permittee shall not make a significant modification required to be reviewed under Regulation No. 3, Part B ("Construction Permit" requirements) without first receiving a construction permit. The permittee shall submit a complete Operating Permit application or application for an Operating Permit revision for any new or modified source within twelve months of commencing operation, to the address listed in Item 1 in Appendix D of this permit. If the permittee chooses to use the "Combined Construction/Operating Permit" application procedures of Regulation No. 3, Part C, then the Operating Permit must be received prior to commencing construction of the new or modified source.

27. Special Provisions Concerning the Acid Rain Program

Regulation No. 3, 5 CCR 1001-5, Part C, §§ V.C.1.b. & 8

- a. Where an applicable requirement of the federal act is more stringent than an applicable requirement of regulations promulgated under Title IV of the federal act, 40 Code of Federal Regulations (CFR) Part 72, both provisions shall be incorporated into the permit and shall be federally enforceable.
- b. Emissions exceeding any allowances that the source lawfully holds under Title IV of the federal act or the regulations promulgated thereunder, 40 CFR Part 72, are expressly prohibited.

28. Transfer or Assignment of Ownership

Regulation No. 3, 5 CCR 1001-5, Part C, § II.C.

No transfer or assignment of ownership of the Operating Permit source will be effective unless the prospective owner or operator applies to the Air Pollution Control Division on Division-supplied Administrative Permit Amendment forms, for reissuance of the existing Operating Permit. No administrative permit shall be complete until a written agreement containing a specific date for transfer of permit, responsibility, coverage, and liability between the permittee and the prospective owner or operator has been submitted to the Division.

29. Volatile Organic Compounds

Regulation No. 7, 5 CCR 1001-9, §§ III & V.

The requirements in paragraphs a, b and e apply to sources located in an ozone non-attainment area or the Denver 1-hour ozone attainment/maintenance area. The requirements in paragraphs c and d apply statewide.

- a. All storage tank gauging devices, anti-rotation devices, accesses, seals, hatches, roof drainage systems, support structures, and pressure relief valves shall be maintained and operated to prevent detectable vapor loss except when opened, actuated, or used for necessary and proper activities (e.g. maintenance). Such opening, actuation, or use shall be limited so as to minimize vapor loss.

Detectable vapor loss shall be determined visually, by touch, by presence of odor, or using a portable hydrocarbon analyzer. When an analyzer is used, detectable vapor loss means a VOC concentration exceeding 10,000 ppm. Testing shall be conducted as in Regulation No. 7, Section VIII.C.3.
- b. Except when otherwise provided by Regulation No. 7, all volatile organic compounds, excluding petroleum liquids, transferred to any tank, container, or vehicle compartment with a capacity exceeding 212 liters (56 gallons), shall be

transferred using submerged or bottom filling equipment. For top loading, the fill tube shall reach within six inches of the bottom of the tank compartment. For bottom-fill operations, the inlet shall be flush with the tank bottom.

- c. The permittee shall not dispose of volatile organic compounds by evaporation or spillage unless Reasonably Available Control Technology (RACT) is utilized.
- d. No owner or operator of a bulk gasoline terminal, bulk gasoline plant, or gasoline dispensing facility as defined in Colorado Regulation No. 7, Section VI, shall permit gasoline to be intentionally spilled, discarded in sewers, stored in open containers, or disposed of in any other manner that would result in evaporation.
- e. Beer production and associated beer container storage and transfer operations involving volatile organic compounds with a true vapor pressure of less than 1.5 PSIA actual conditions are exempt from the provisions of paragraph b, above.

30. Wood Stoves and Wood burning Appliances

Regulation No. 4, 5 CCR 1001-6

The permittee shall comply with the provisions of Regulation No. 4 concerning the advertisement, sale, installation, and use of wood stoves and wood burning appliances.

OPERATING PERMIT APPENDICES

- A - INSPECTION INFORMATION
- B - MONITORING AND PERMIT DEVIATION REPORT
- C - COMPLIANCE CERTIFICATION REPORT
- D - NOTIFICATION ADDRESSES
- E - PERMIT ACRONYMS
- F - PERMIT MODIFICATIONS

***DISCLAIMER:**

None of the information found in these Appendices shall be considered to be State or Federally enforceable, except as otherwise provided in the permit, and is presented to assist the source, permitting authority, inspectors, and citizens.

APPENDIX A - Inspection Information

Directions to Plant:

From the intersection of Main Street (US 50) and Townsend Avenue in Montrose, CO, proceed east on East Main Street to the last traffic light in Montrose, turn left onto Hillcrest Dr. Follow Hillcrest to the town limits where it becomes 6600 Road. Follow 6600 Road for 1 mile to Landfill Road. Turn right onto Landfill Road and follow 2.75 miles to the Montrose County Landfill.

Safety Equipment Required:

Hard Hat
Safety Shoes
Safety Glasses
Gloves

Facility Plot Plan:

Figure 1 (following page) shows the site map as submitted on February 25, 2003 with the source's Title V Operating Permit Application.

List of Insignificant Activities:

The following list of insignificant activities was provided by the source to assist in the understanding of the facility layout. Since there is no requirement to update such a list, activities may have changed since the last filing.

- 1000-gallon diesel storage tank
- 280-gallon diesel storage tank
- Three (3) 20-pound Propane tanks
- Miscellaneous chemical containers
- 275-gallon used oil storage tank
- Two (2) - 125-gallon lubricating oil storage tanks
- 55-gallon drums of lubricating oil
- Degreasing unit



APPENDIX B
Reporting Requirements and Definitions
with codes ver 2/20/07

Please note that, pursuant to 113(c)(2) of the federal Clean Air Act, any person who knowingly:

- (A) makes any false material statement, representation, or certification in, or omits material information from, or knowingly alters, conceals, or fails to file or maintain any notice, application, record, report, plan, or other document required pursuant to the Act to be either filed or maintained (whether with respect to the requirements imposed by the Administrator or by a State);
- (B) fails to notify or report as required under the Act; or
- (C) falsifies, tampers with, renders inaccurate, or fails to install any monitoring device or method required to be maintained or followed under the Act shall, upon conviction, be punished by a fine pursuant to title 18 of the United States Code, or by imprisonment for not more than 2 years, or both. If a conviction of any person under this paragraph is for a violation committed after a first conviction of such person under this paragraph, the maximum punishment shall be doubled with respect to both the fine and imprisonment.

The permittee must comply with all conditions of this operating permit. Any permit noncompliance constitutes a violation of the Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or for denial of a permit renewal application.

The Part 70 Operating Permit program requires three types of reports to be filed for all permits. All required reports must be certified by a responsible official.

Report #1: Monitoring Deviation Report (due at least every six months)

For purposes of this operating permit, the Division is requiring that the monitoring reports are due every six months unless otherwise noted in the permit. All instances of deviations from permit monitoring requirements must be clearly identified in such reports.

For purposes of this operating permit, monitoring means any condition determined by observation, by data from any monitoring protocol, or by any other monitoring which is required by the permit as well as the recordkeeping associated with that monitoring. This would include, for example, fuel use or process rate monitoring, fuel analyses, and operational or control device parameter monitoring.

Report #2: Permit Deviation Report (must be reported “promptly”)

In addition to the monitoring requirements set forth in the permits as discussed above, each and every requirement of the permit is subject to deviation reporting. The reports must address deviations from permit

requirements, including those attributable to malfunctions as defined in this Appendix, the probable cause of such deviations, and any corrective actions or preventive measures taken. All deviations from any term or condition of the permit are required to be summarized or referenced in the annual compliance certification.

For purposes of this operating permit, “malfunction” shall refer to both emergency conditions and malfunctions. Additional discussion on these conditions is provided later in this Appendix.

For purposes of this operating permit, the Division is requiring that the permit deviation reports are due as set forth in General Condition 21. Where the underlying applicable requirement contains a definition of prompt or otherwise specifies a time frame for reporting deviations, that definition or time frame shall govern. For example, quarterly Excess Emission Reports required by an NSPS or Regulation No. 1, Section IV.

In addition to the monitoring deviations discussed above, included in the meaning of deviation for the purposes of this operating permit are any of the following:

- (1) A situation where emissions exceed an emission limitation or standard contained in the permit;
- (2) A situation where process or control device parameter values demonstrate that an emission limitation or standard contained in the permit has not been met;
- (3) A situation in which observations or data collected demonstrates noncompliance with an emission limitation or standard or any work practice or operating condition required by the permit; or,
- (4) A situation in which an excursion or exceedance as defined in 40CFR Part 64 (the Compliance Assurance Monitoring (CAM) Rule) has occurred. (only if the emission point is subject to CAM)

For reporting purposes, the Division has combined the Monitoring Deviation Report with the Permit Deviation Report. All deviations shall be reported using the following codes:

- | | |
|-------------------------|--|
| 1 = Standard: | When the requirement is an emission limit or standard |
| 2 = Process: | When the requirement is a production/process limit |
| 3 = Monitor: | When the requirement is monitoring |
| 4 = Test: | When the requirement is testing |
| 5 = Maintenance: | When required maintenance is not performed |
| 6 = Record: | When the requirement is recordkeeping |
| 7 = Report: | When the requirement is reporting |
| 8 = CAM: | A situation in which an excursion or exceedance as defined in 40CFR Part 64 (the Compliance Assurance Monitoring (CAM) Rule) has occurred. |
| 9 = Other: | When the deviation is not covered by any of the above categories |

Report #3: Compliance Certification (annually, as defined in the permit)

Submission of compliance certifications with terms and conditions in the permit, including emission limitations, standards, or work practices, is required not less than annually.

Compliance Certifications are intended to state the compliance status of each requirement of the permit over the certification period. They must be based, at a minimum, on the testing and monitoring methods specified in the permit that were conducted during the relevant time period. In addition, if the owner or operator knows of other material information (i.e. information beyond required monitoring that has been specifically assessed in relation to how the information potentially affects compliance status), that information must be identified and addressed in the compliance certification. The compliance certification must include the following:

- The identification of each term or condition of the permit that is the basis of the certification;
- Whether or not the method(s) used by the owner or operator for determining the compliance status with each permit term and condition during the certification period was the method(s) specified in the permit. Such methods and other means shall include, at a minimum, the methods and means required in the permit. If necessary, the owner or operator also shall identify any other material information that must be included in the certification to comply with section 113(c)(2) of the Federal Clean Air Act, which prohibits knowingly making a false certification or omitting material information;
- The status of compliance with the terms and conditions of the permit, and whether compliance was continuous or intermittent. The certification shall identify each deviation and take it into account in the compliance certification. Note that not all deviations are considered violations.¹
- Such other facts as the Division may require, consistent with the applicable requirements to which the source is subject, to determine the compliance status of the source.

The Certification shall also identify as possible exceptions to compliance any periods during which compliance is required and in which an excursion or exceedance as defined under 40 CFR Part 64 (the Compliance Assurance Monitoring (CAM) Rule) has occurred. (only for emission points subject to CAM)

Note the requirement that the certification shall identify each deviation and take it into account in the compliance certification. Previously submitted deviation reports, including the deviation report submitted at the time of the annual certification, may be referenced in the compliance certification.

¹ For example, given the various emissions limitations and monitoring requirements to which a source may be subject, a deviation from one requirement may not be a deviation under another requirement which recognizes an exception and/or special circumstances relating to that same event.

Startup, Shutdown, Malfunctions and Emergencies,

Understanding the application of Startup, Shutdown, Malfunctions and Emergency Provisions, is very important in both the deviation reports and the annual compliance certifications.

Startup, Shutdown, and Malfunctions

Please note that exceedances of some New Source Performance Standards (NSPS) and Maximum Achievable Control Technology (MACT) standards that occur during Startup, Shutdown or Malfunctions may not be considered to be non-compliance since emission limits or standards often do not apply unless specifically stated in the NSPS. Such exceedances must, however, be reported as excess emissions per the NSPS/MACT rules and would still be noted in the deviation report. In regard to compliance certifications, the permittee should be confident of the information related to those deviations when making compliance determinations since they are subject to Division review. The concepts of Startup, Shutdown and Malfunctions also exist for Best Available Control Technology (BACT) sources, but are not applied in the same fashion as for NSPS and MACT sources.

Emergency Provisions

Under the Emergency provisions of Part 70 certain operational conditions may act as an affirmative defense against enforcement action if they are properly reported.

DEFINITIONS

Malfunction (NSPS) means any sudden, infrequent, and not reasonably preventable failure of air pollution control equipment, process equipment, or a process to operate in a normal or usual manner. Failures that are caused in part by poor maintenance or careless operation are not malfunctions.

Malfunction (SIP) means any sudden and unavoidable failure of air pollution control equipment or process equipment or unintended failure of a process to operate in a normal or usual manner. Failures that are primarily caused by poor maintenance, careless operation, or any other preventable upset condition or preventable equipment breakdown shall not be considered malfunctions.

Emergency means any situation arising from sudden and reasonably unforeseeable events beyond the control of the source, including acts of God, which situation requires immediate corrective action to restore normal operation, and that causes the source to exceed a technology-based emission limitation under the permit, due to unavoidable increases in emissions attributable to the emergency. An emergency shall not include noncompliance to the extent caused by improperly designed equipment, lack of preventative maintenance, careless or improper operation, or operator error.

APPENDIX B: Monitoring and Permit Deviation Report - Part I

- Following is the **required** format for the Monitoring and Permit Deviation report to be submitted to the Division as set forth in General Condition 21. The Table below must be completed for all equipment or processes for which specific Operating Permit terms exist.
- Part II of this Appendix B shows the format and information the Division will require for describing periods of monitoring and permit deviations, or malfunction or emergency conditions as indicated in the Table below. One Part II Form must be completed for each Deviation. Previously submitted reports (e.g. EER's or malfunctions) may be referenced and the form need not be filled out in its entirety.

FACILITY NAME: Waste Management – Montrose County Landfill

OPERATING PERMIT NO: 03OPMO258

REPORTING PERIOD: _____ (see first page of the permit for specific reporting period and dates)

Operating Permit Unit ID	Unit Description	Deviations noted During Period? ¹		Deviation Code ²	Malfunction/Emergency Condition Reported During Period?	
		YES	NO		YES	NO
F01	Fugitive particulate matter emissions					
F02	Landfill gas emissions					
	Emergency Diesel Generator					
	General Conditions					
	Insignificant Activities					

¹ See previous discussion regarding what is considered to be a deviation. Determination of whether or not a deviation has occurred shall be based on a reasonable inquiry using readily available information.

² Use the following entries, as appropriate

- 1 = Standard:** When the requirement is an emission limit or standard
- 2 = Process:** When the requirement is a production/process limit
- 3 = Monitor:** When the requirement is monitoring
- 4 = Test:** When the requirement is testing
- 5 = Maintenance:** When required maintenance is not performed
- 6 = Record:** When the requirement is recordkeeping
- 7 = Report:** When the requirement is reporting
- 8 = CAM:** A situation in which an excursion or exceedance as defined in 40CFR Part 64 (the Compliance Assurance Monitoring (CAM) Rule) has occurred.
- 9 = Other:** When the deviation is not covered by any of the above categories

APPENDIX B: Monitoring and Permit Deviation Report - Part II

FACILITY NAME: Waste Management – Montrose County Landfill
OPERATING PERMIT NO: 03OPMO258
REPORTING PERIOD:

Is the deviation being claimed as an: Emergency _____ Malfunction _____ N/A
(For NSPS/MACT) Did the deviation occur during: Startup _____ Shutdown _____ Malfunction _____
Normal Operation _____

OPERATING PERMIT UNIT IDENTIFICATION:

Operating Permit Condition Number Citation

Explanation of Period of Deviation

Duration (start/stop date & time)

Action Taken to Correct the Problem

Measures Taken to Prevent a Reoccurrence of the Problem

Dates of Malfunctions/Emergencies Reported (if applicable)

Deviation Code _____ Division Code QA: _____

SEE EXAMPLE ON THE NEXT PAGE

EXAMPLE

FACILITY NAME: Acme Corp.
OPERATING PERMIT NO: 96OPZZXXX
REPORTING PERIOD: 1/1/04 - 6/30/06

Is the deviation being claimed as an: Emergency _____ Malfunction XX N/A

(For NSPS/MACT) Did the deviation occur during: Startup _____ Shutdown _____ Malfunction
Normal Operation _____

OPERATING PERMIT UNIT IDENTIFICATION:

Asphalt Plant with a Scrubber for Particulate Control - Unit XXX

Operating Permit Condition Number Citation

Section II, Condition 3.1 - Opacity Limitation

Explanation of Period of Deviation

Slurry Line Feed Plugged

Duration

START- 1730 4/10/06
END- 1800 4/10/06

Action Taken to Correct the Problem

Line Blown Out

Measures Taken to Prevent Reoccurrence of the Problem

Replaced Line Filter

Dates of Malfunction/Emergencies Reported (if applicable)

5/30/06 to A. Einstein, APCD

Deviation Code _____ Division Code QA: _____

APPENDIX B: Monitoring and Permit Deviation Report - Part III

REPORT CERTIFICATION

SOURCE NAME: Waste Management – Montrose County Landfill

FACILITY IDENTIFICATION NUMBER: 0850950

PERMIT NUMBER: 03OPMO258

REPORTING PERIOD:_____ (see first page of the permit for specific reporting period and dates)

All information for the Title V Semi-Annual Deviation Reports must be certified by a responsible official as defined in Colorado Regulation No. 3, Part A, Section I.B.38. This signed certification document must be packaged with the documents being submitted.

STATEMENT OF COMPLETENESS

I have reviewed the information being submitted in its entirety and, based on information and belief formed after reasonable inquiry, I certify that the statements and information contained in this submittal are true, accurate and complete.

Please note that the Colorado Statutes state that any person who knowingly, as defined in Sub-Section 18-1-501(6), C.R.S., makes any false material statement, representation, or certification in this document is guilty of a misdemeanor and may be punished in accordance with the provisions of Sub-Section 25-7 122.1, C.R.S.

Printed or Typed Name

Title

Signature of Responsible Official

Date Signed

Note: Deviation reports shall be submitted to the Division at the address given in Appendix D of this permit. No copies need be sent to the U.S. EPA.

APPENDIX C
Required Format for Annual Compliance Certification Reports

Following is the format for the Compliance Certification report to be submitted to the Division and the U.S. EPA annually based on the effective date of the permit. The Table below must be completed for all equipment or processes for which specific Operating Permit terms exist.

FACILITY NAME: Waste Management – Montrose County Landfill

OPERATING PERMIT NO: 03OPMO258

REPORTING PERIOD:

I. Facility Status

___ During the entire reporting period, this source was in compliance with **ALL** terms and conditions contained in the Permit, each term and condition of which is identified and included by this reference. The method(s) used to determine compliance is/are the method(s) specified in the Permit.

___ With the possible exception of the deviations identified in the table below, this source was in compliance with all terms and conditions contained in the Permit, each term and condition of which is identified and included by this reference, during the entire reporting period. The method used to determine compliance for each term and condition is the method specified in the Permit, unless otherwise indicated and described in the deviation report(s). Note that not all deviations are considered violations.

Operating Permit Unit ID	Unit Description	Deviations Reported ¹		Monitoring Method per Permit? ²		Was compliance continuous or intermittent? ³	
		Previous	Current	YES	NO	Continuous	Intermittent
F01	Fugitive particulate matter emissions						
F02	Landfill gas emissions						
	Emergency Diesel Generator						
	General Conditions						
	Insignificant Activities ⁴						

¹ If deviations were noted in a previous deviation report, put an “X” under “previous”. If deviations were noted in the current deviation report (i.e. for the last six months of the annual reporting period), put an “X” under “current”. Mark both columns if both apply.

² Note whether the method(s) used to determine the compliance status with each term and condition was the method(s) specified in the permit. If it was not, mark “no” and attach additional information/explanation.

³ Note whether the compliance status with of each term and condition provided was continuous or intermittent. “Intermittent Compliance” can mean either that noncompliance has occurred or that the owner or operator has data sufficient to certify compliance only on an intermittent basis. Certification of intermittent compliance therefore does not necessarily mean that any noncompliance has occurred.

NOTE:

The Periodic Monitoring requirements of the Operating Permit program rule are intended to provide assurance that even in the absence of a continuous system of monitoring the Title V source can demonstrate whether it has operated in continuous compliance for the duration of the reporting period. Therefore, if a source 1) conducts all of the monitoring and recordkeeping required in its permit, even if such activities are done periodically and not continuously, and if 2) such monitoring and recordkeeping does not indicate non-compliance, and if 3) the Responsible Official is not aware of any credible evidence that indicates non-compliance, then the Responsible Official can certify that the emission point(s) in question were in continuous compliance during the applicable time period.

⁴ Compliance status for these sources shall be based on a reasonable inquiry using readily available information.

II. Status for Accidental Release Prevention Program:

- A. This facility _____ is subject _____ is not subject to the provisions of the Accidental Release Prevention Program (Section 112(r) of the Federal Clean Air Act)
- B. If subject: The facility _____ is _____ is not in compliance with all the requirements of section 112(r).
1. A Risk Management Plan _____ will be _____ has been submitted to the appropriate authority and/or the designated central location by the required date.

III. Certification

All information for the Annual Compliance Certification must be certified by a responsible official as defined in Colorado Regulation No. 3, Part A, Section I.B.38. This signed certification document must be packaged with the documents being submitted.

I have reviewed this certification in its entirety and, based on information and belief formed after reasonable inquiry, I certify that the statements and information contained in this certification are true, accurate and complete.

Please note that the Colorado Statutes state that any person who knowingly, as defined in § 18-1-501(6), C.R.S., makes any false material statement, representation, or certification in this document is guilty of a misdemeanor and may be punished in accordance with the provisions of § 25-7 122.1, C.R.S.

Printed or Typed Name

Title

Signature

Date Signed

NOTE: All compliance certifications shall be submitted to the Air Pollution Control Division and to the Environmental Protection Agency at the addresses listed in Appendix D of this Permit.

APPENDIX D

Notification Addresses

1. Air Pollution Control Division

Colorado Department of Public Health and Environment
Air Pollution Control Division
Operating Permits Unit
APCD-SS-B1
4300 Cherry Creek Drive S.
Denver, CO 80246-1530

ATTN: Matt Burgett

2. United States Environmental Protection Agency

Compliance Notifications:

Office of Enforcement, Compliance and Environmental Justice
Mail Code 8ENF-T
U.S. Environmental Protection Agency, Region VIII
1595 Wynkoop Street
Denver, CO 80202 - 1129

Permit Modifications, Off Permit Changes:

Office of Partnerships and Regulatory Assistance
Air and Radiation Programs, 8P-AR
U.S. Environmental Protection Agency, Region VIII
1595 Wynkoop Street
Denver, CO 80202 - 1129

APPENDIX E

Permit Acronyms

Listed Alphabetically:

AIRS -	Aerometric Information Retrieval System
AP-42 -	EPA Document Compiling Air Pollutant Emission Factors
APEN -	Air Pollution Emission Notice (State of Colorado)
APCD -	Air Pollution Control Division (State of Colorado)
ASTM -	American Society for Testing and Materials
BACT -	Best Available Control Technology
BCY -	Bulk Cubic Yards
BTU -	British Thermal Unit
CAA -	Clean Air Act (CAAA = Clean Air Act Amendments)
CCR -	Colorado Code of Regulations
CEM -	Continuous Emissions Monitor
CF -	Cubic Feet (SCF = Standard Cubic Feet)
CFR -	Code of Federal Regulations
CO -	Carbon Monoxide
COM -	Continuous Opacity Monitor
CRS -	Colorado Revised Statute
EF -	Emission Factor
EPA -	Environmental Protection Agency
FI -	Fuel Input Rate in mmBtu/hr
FR -	Federal Register
G -	Grams
Gal -	Gallon
GPM -	Gallons per Minute
HAPs -	Hazardous Air Pollutants
HP -	Horsepower
HP-HR -	Horsepower Hour (G/HP-HR = Grams per Horsepower Hour)
LAER -	Lowest Achievable Emission Rate
LBS -	Pounds
M -	Thousand
MM -	Million
MMscf -	Million Standard Cubic Feet
MMscfd -	Million Standard Cubic Feet per Day
N/A or NA -	Not Applicable
NOx -	Nitrogen Oxides
NESHAP -	National Emission Standards for Hazardous Air Pollutants
NSPS -	New Source Performance Standards
P -	Process Weight Rate in Tons/Hr
PE -	Particulate Emissions
PM -	Particulate Matter

PM ₁₀ -	Particulate Matter Under 10 Microns
PSD -	Prevention of Significant Deterioration
PTE -	Potential To Emit
RACT -	Reasonably Available Control Technology
SCC -	Source Classification Code
SCF -	Standard Cubic Feet
SIC -	Standard Industrial Classification
SO ₂ -	Sulfur Dioxide
TPY -	Tons Per Year
TSP -	Total Suspended Particulate
VOC -	Volatile Organic Compounds

APPENDIX F

Permit Modifications

DATE OF REVISION	SECTION NUMBER, CONDITION NUMBER	DESCRIPTION OF REVISION